

State of Connecticut, Department of Public Health

Approved Environmental Laboratory

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

AMERISCI RICHMOND

LOCATED AT 13635 GENITO ROAD IN MIDLOTHIAN, VA 23112

AND REGISTERED IN THE NAME OF BARRY BROWDER

THIS CERTIFICATE IS ISSUED IN THE NAME OF CORY PARSELL WHO HAS BEEN DESIGNATED

BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:

Examination for:
Asbestos in Drinking Water - TEM
Asbestos Fibers - PCM, TEM
Asbestos in Bulk - PLM, TEM

SEE CERTIFIED PARAMETER LIST FOR SPECIFIC TESTS APPROVED

EFFECTIVE RENEWAL DATE April 1, 2024

THIS CERTIFICATE EXPIRES March 31, 2026 AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH

DATED AT HARTFORD, CONNECTICUT, THIS 2nd DAY OF February, 2024



Registration
No.
PH-0323

Lori J. Mathieu
Public Health Branch Chief

Rev. Feb. 2023



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH
Environmental Health and Drinking Water Branch



ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM CERTIFIED ANALYTES REPORT FOR ALL MATRICES

AmeriSci Richmond

13635 GENITO ROAD
MIDLOTHIAN, VA 23112

CT REGISTRATION NUMBER :

REGISTERED OWNER / AUTHORIZED AGENT : Barry Browder

DIRECTOR : Cory Parnell

CO DIRECTOR(S) :


PHONE : (804) 763-1200

LABORATORY REGISTRATION EFFECTIVE DATE :

LABORATORY REGISTRATION EXPIRATION DATE :


LABORATORY STATUS :

APPROVED BY



Leri J Mathieu
Public Health Branch Chief
Environmental Health & Drinking Water Branch

REVIEWED BY



Nicole Paradise
Laboratory Consultant

2/2/2024 1:12:29 PM

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO THE ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

AIR

STATUS REPORTED ON 2/2/2024

ANALYTE NAME

ASBESTOS

ASBESTOS FIBERS (PCM) NIOSH 7400

ASBESTOS FIBERS (TEM) 40 CFR Part 763, Subpart E,
Appendix A

CONSTRUCTION, RENOVATION & DEMO BLDG MATERIALS

STATUS REPORTED ON 2/2/2024

ANALYTE NAME

ASBESTOS

ASBESTOS IN BULK MATERIALS (PLM) 40 CFR Part 763, Subpart E, Appendix E	ASBESTOS IN BULK MATERIALS (PLM) EPA-600-R- 93-116
ASBESTOS IN BULK MATERIALS (TEM) EPA-600-R- 93-116	

DRINKING WATER (SDWA)

STATUS REPORTED ON 2/2/2024

ANALYTE NAME

ASBESTOS

ASBESTOS IN WATER (TEM) EPA 100.2

Report Profile:

Lab Name : AmeriSci Richmond

Test Name : *

Matrix Name : *

Matrix Selection = ALL OR SOME MATRICES SELECTED

Certifications approved or provisional on 2/2/2024

THIS IS THE LAST PAGE OF THE REPORT